



SCAFFOLDING LICENCE
(Highways Act 1980 - Section 169)

Scaffolding Licence Number - SCAF1029

Applicant Details

Mr Xhetan Nela
Flat 27, Cromarty Court
128 Widmore Road
Bromley
BR1 3BX

Scaffolding Location (Road) 150 - 156 High Street, Beckenham, BR3 1EA

Scaffolding Location (Outside) 150 - 156 High Street, Beckenham, BR3 1EA

Scaffolding Licence Start Date 15 April 2024

Scaffolding Licence End Date 14 July 2024

Special Conditions

General Terms and Conditions:

Red and white reflective tape or fluorescent sleeving is to be used on all lower poles to a height of 2.4 metres.

Base plates are to be used on all lower poles, the structure must have a double boarded first floor and netting is to be used for public protection above the ground floor.

Any couplings below 2.4 metres must be fixed so that any projection or fixing is on the opposite side to pedestrians. All horizontal scaffold poles should be fitted with end caps or otherwise made safe.

There is a minimum width of 1.5 metres of passable footway around the scaffolding. If applicable, there is a minimum of 2.4 metres of headroom clearance for pedestrians. Any projection of the structure which extends beyond the kerb edge over the carriageway must have a minimum of 4.9 metres clearance to the carriageway.

All aspects of the structure must be properly secured to resist high winds.

If the Council's contractors are called out to make safe the licenced scaffolding, the licence holder will be charged for this service.